



## अखिल भारतीय तकनीकी शिक्षा परिषद्

(मारत सरकार का एक साविधिक निकाय) मानव संसाधन विकास मंत्रालय, मारत सरकार नेल्सन मंडेला मार्ग, वसंत कुंज, नई दिल्ली-110070

## ALL INDIA COUNCIL FOR TECHNICAL EDUCATION

(A Statutory Body of the Govt. of India) Ministry of Human Resource Development, Govt. of India Nelson Mandela Marg, Vasant Kunj, New Delhi-110070

## **QUOTATION NOTICE**

F.No. 101/AICTEHQ/EMC/Steel-bulb/241/2023-2024 323/

Dated 4th May 2023

To

Subject: Quotations for shifting of Steel Blub from present location including Civil and Electrical work at AICTE Hqr., New Delhi - reg.

Sir,

Sealed quotations are invited from the firm for shifting of Steel Bulb including making of foundation & installation including electric work and made the provision of fountain at AICTE, Hq. Building. New Delhi. Details description of work are given as under:

## **BILL OF QUANTITIES**

S.No.	Description	Qty.	Unit	Rate	Total Amount in Rs
1	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundations and plinth in: 6.12.1 Cement mortar 1:3 (1 cement: 3 coarse sand) sqm 862.90 6.12.2 cement mortar 1:4 (1 cement : 4 coarse sand)	3	sqm		
2	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level: 5.12 1:1.5:3 (1 cement: 1.5 coarse sand (zone-III) derived from natural sources: 3 graded stone aggregate 20 mm nominal size de rived from natural sources	4.0	cum		
3	Providing and laying gang saw cut 18 mm thick, mirror polished pre moulded and pre polished machine cut granite stone of required size and shape of approved shade, colour and texture in footpath, flooring cut granite stone of required size and shape of approved shade, colour and texture in footpath, flooring in road side plazas and similar locations, laid over 20mm thick base of cement mortar 1:4 (1cement: 4 coarse sand) including grouting the joints with white cement mixed with matching pigment, epoxy touch ups etc. complete as per direction of Engineer-in-Charge. 16.86.1 With granite stone of area less than 0.50 sqm.	10.0	sqm		

Cont.2

	Excavating trenches of required width for pipes,	75.0	meter	
4	cables, etc including excavation for sockets, and			
	dressing of sides, ramming of bottoms, depth upto 1.5			
	m, including getting out the excavated soil, and then			外型的 自然主义主义
	returning the soil as required, in layers not exceeding			
	20 cm in depth, including consolidating each deposited			
	layer by ramming, watering, etc. and disposing of			
	surplus excavated soil as directed, within a lead of 50			
	m: 2.10.1 All kinds of soil 2.10.1.1 Pipes, cables etc,			
	not exceeding 80 mm dia. metre 255.55 2.10.1.2 Pipes,			
	cables etc. exceeding 80 mm dia. but not exceeding			
	300 mm dia metre 417.35 2.10.1.3 Pipes, cables etc.			
	exceeding 300 mm dia but not exceeding 600 mm.			
5	Centering and shuttering including strutting, propping	5	sqm	
	etc. and removal of form work for : 4.3.1 Foundations,		1	
	footings, bases for columns			
	Laying, spreading and compacting stone aggregate of	1	cum	
6	specified sizes to WBM specifications in uniform			
	thickness, hand picking, rolling with 3 wheeled			
	road/vibratory roller 8-10 tonne capacity in stages to			
	proper grade and camber, applying and brooming			
	requisite type of screening / binding material to fill up			
	interstices of coarse aggregate, watering and			
	compacting to the required density .			
7	20 mm TMT bar with 8 mm bar rings with gape 12" ISI	100	Per	
	mark		kg	
8	Electrical cable 12mm four core armed cable in	150	RM	
	copper.			
	Supply & laying of HDPE round pipe 40mm with elbow,	150	RFT	
	bend etc. under the soil for laying of cables.			
	Supply and fixing of laser lights 4x18 WT	04	No	
	Supply and fixing of LED lights 2x50 WT	02	No	
9	Heavy Crane for shifting of Bulb	02	LS	
	Floor polishing on masonry or concrete floors with wax	10	Sq	
10	polish of approved brand and manufacture.		Mtr	2.28
11	Provision for making of low height fountain with CPVC	02	No	
	pipe with all fitting as required and light provision.			
12	S/F of 8 mm thick Steel plate in size 4'x4' with 100mm	16	Sq Ft	
	hole, nut, bolt, screw and fitting in level with labour	sqft		
12	etc.	10-		
13	Lacquer coating/Apcolite rust shield coats, minimum	120	Sq Ft	
	thickness 50 micron on old MS engine gears applied			
	with spray gun using clear polish model size10'x6'			
1.0	outer & inner side	400		
14	Rubbing, polishing of steel half side Bulb size10'x6'	120	Sq Ft	
	outer & inner side	04	10	
15	Dismantling stone slab laid in cement mortar including	01	LS	
15	stacking of serviceable material and disposal of			
	unserviceable material from office complex to			
16	dumping yard	01	16	
10	Installation of Blub charges	01	LS	
		Total		



You are requested to visit the site during 10.00AM to 4.00PM on any working day and duly filled up the quotation with all required documents for the above said work in sealed envelope super scribed "Shifting of Steel Blub" to Council Engineer, EMC, Room No.2, Ground Floor, Wing 1, AICTE Hq. Nelson Mandela Marg, Vasant Kunj, New Delhi-70. The quotations will be received upto 3:00Pm on or before 17th May 2023.

> (Satish Kumar) Council Engineer

Terms & Conditions:

- 1. Council reserves the right to accept or reject any or all the quotations without assigning any reason what so ever.
- 2. The bidder must have GST registration certificate
- 3. Bidder may inspect the site on any working day during working hours for any information required.
- 4. Safety conditions shall be maintained at all times, and the contractor shall use all precautions necessary at the face of shifting o steel bulb.
- 5. Dismantling material during reconstruction work must be clear before completion of work.
- 6. The payment will be made as per the actual work done required at site after completion of work.
- 7. No advance payment shall be made.
- 8. Work shall be completed within 15 days after receiving of work order.

